

FIRE SEARCH
10 gm

FIRE SEARCH
6 gm

FIRE SEARCH
2 gm



AMESH

— FIRE ALARM & FIGHTING SYSTEM —



FIRE SEARCH

FIRE SEARCH

INTRODUCTION:

Carbon dioxide gas cylinder is a direct release system it used in accessible areas or enclosures which are difficult to access such as control panels ,power panels computers ,generator ,buses ,boats ,ships and in commercial building and it has the sufficient amount of extinguish ant for the local area to avoid re-ignition.



COMPONENT:

- 1- Co2 automatic cylinder
- 2- Detection tube
- 3- Inlet enclosure
- 4- Outlet co2 automatic connection
- 5- Manometer
- 6- End of line



FEATURE :

- Co2 cylinder not need any external sources of energy or electrical supply
- Not needing any external panels so they are not cost
- Easy maintains
- Detection tube flexible with un limited sensing point so they used in most difficult installations by sensing fire or reaching operating temp the system discharge



SIZE :

PART NO	GAS TYPE	GAS WEIGHT	TUBE LENGTH
A na-02-nias	Co2	2kg	4 meters
A na-06-nias	Co2	6kg	6 meters
A na-010-nias	Co2	10kg	10 meters





FIRE SEARCH

TECHNICAL SPECIFICATION:

3/11/2024	Co2
capacity	2 ,6 ,10
Model	Co2 Ana-02-nias, co2 Ana-06-nias ,co2 Ana-10-nias
Working pressure	11 Bar
Testing pressure	28 bar
Bursting pressure	28 bar
Working temp	-20 to 60
Bursting temp	99
Cylinder material	Seamless steel cylinder
Sensor tube	Tube made of flexible polymer in multiple length ending with ejector sensor
Coverage of warranty	Against failure or protection defected
Period of warranty	One year
Valve material	Brass valve



FIRE SEARCH

+1(347)5194201
+1(347)6545356

413 ANNADALE RD
STATEN ISLAND NY 10312
USA



+1(347)5194201
+1(347)6545356
413 ANNADALE RD
STATEN ISLAND NY 10312
USA